



**DESIGNERS  
and  
FABRICATORS  
of**



**STANDARD EQUIPMENT  
or  
CUSTOM-BUILT  
SPECIALIZED UNITS**

# *Radiulux* **STAINLESS STEEL SINKS, CABINET TOPS**

**and other SANITARY EQUIPMENT**

**for**


**Homes, Schools, Hospitals, Hotels, Office Buildings, Institutions**

*Also for Industrial and Marine Installations*

*Domestic Science Kitchen with Stainless  
Steel Counter Tops and Sink Bowls*



*Installation of Just Line Stainless Steel  
Equipment in Modern Home Kitchen*



# **Just** *Manufacturing Co.*

4610-20 W. 21st STREET, CHICAGO 50, ILLINOIS



# STAINLESS STEEL *excels* IN DISTINCTIVE

## *Just Line Radiiluxe* STAINLESS STEEL SINKS AND CABINET TOPS

Radiiluxe design is the result of years of specialized experience in Stainless Steel design and fabrication, plus unexcelled facilities. For beauty, permanence, sanitary excellence and value, Radiiluxe Sinks and Cabinet Tops have no equal. They are made with single or double bowls, in straight, "U" or "L" types, in standard sizes or will be fabricated to specifications as required for special installations.

### TWO IMPORTANT EXCLUSIVE FEATURES

(1) **IN-BUILT, ANTI-SPLASH RIMS ON BOWLS**—Where drainboards and sink bowl meet, the top of the bowl is curved slightly inward and joined to the sink top in a seamless weld. This forms a smooth, effective anti-splash rim around the entire perimeter of the bowl without a break in the material. The welded joints are polished to a smooth, satin finish.

(2) **DOUBLE-PITCH DRAINBOARDS**—Gradually sloping lengthwise to the bowl as well as sidewise, assuring smooth, even, perfect drainage from all parts of the drainboard. There are no channels to clean, no grooves to endanger fine glassware.

### Other Advantages of Just Line Construction


- (3) Wood frames to facilitate fastening to cabinets.
- (4) Seamless construction, all joints welded and polished.
- (5) Bowls with radius corners—vertically and horizontally.
- (6) All corners of raised edge are die drawn.
- (7) U-type structural channel extending the full length of top or drainboard.
- (8) Sound-deadened on the underside to prevent undesirable metallic sound.

### STURDY CONSTRUCTION

Radiiluxe Sinks and Cabinet Tops are fabricated of No. 16 gauge and the bowls of 18 gauge SOLID Stainless Steel.

### CUSTOM FABRICATED DESIGNS

This shows a few of the special designs in Radiiluxe Sinks and Cabinet Tops, made to specifications.



CABINET SINKS  
CABINET TOPS  
SINK BOWLS  
SERVICE SINKS  
LAVATORIES  
FOOT BATHS  
WASH TROUGHS  
SCULLERY SINKS  
URINALS  
URINAL TROUGHS  
STRADDLE STANDS  
and Special Units

*Literature, recommendations,  
and quotations gladly fur-  
nished at your request.*



# BEAUTY, SANITARY EFFICIENCY AND DURABILITY

## *Just Line Cabineteer* STAINLESS STEEL SINKS

### In Standard Sizes for "Package Kitchen" Units

The Cabineteer Line gives you Just Line quality and the same exclusive design features as the famous Radiiluxe Line. However, it is fabricated of 18 gauge Stainless Steel and built in standard sizes only, which effects production economies. Cabineteer Stainless Steel Sinks have IN-BUILT, ANTI-SPLASH RIM ON BOWLS, AND DOUBLE-PITCH DRAINBOARDS. All corners of raised edges are die drawn. Wood frames facilitate fastening to cabinets. All joints are seamless, welded and polished. Bowls have radius corners, vertically and horizontally. U-type structural channel extends full length of top or drainboard. Undesirable metallic noises are prevented by sound-deadening.

If you can use standard sizes, Just Line Cabineteer Stainless Steel Sinks give you beauty, durability, economy and exclusive design features that mean extra value. Made in 8 standard sizes—dimensional detail sheet promptly sent upon request.

## *Just Line* FLAT RIM OR LEDGE-BACK STAINLESS STEEL SINK BOWLS

### CRUMB CUP STRAINER



All Just Line  
sinks have  
crumb cup  
strainers.

Just Line Stainless Steel Sink Bowls are intended for installations with drainboards and countertops of linoleum, wood and other suitable materials. They are made in standard and special sizes, single and double compartment, with 1" flange all around ... or in ledge-back types in three sizes only. The ledge back on which the deck type faucets are mounted assures a more permanent and sanitary installation. Moisture from supply pipes cannot deteriorate under structure of sink top.

All Just Line Stainless Steel Sink Bowls are made of 18 gauge Stainless Steel, welded, seamless construction and with rounded corners. There are no crevices or seams where dirt or food particles can collect. They combine sanitary excellence, beauty and durability for home kitchens, hospitals, institutions and laboratories.






# Just Line


GALVANIZED AND STAINLESS STEEL

## SCULLERY SINKS



Just Line Galvanized Scullery Sinks are made of No. 12 U. S. Standard Gauge Steel, fully welded and hot dip galvanized after fabrication. This gives them a lasting finish and protection against rust. Just Line Stainless Steel Scullery Sinks are made of 14 gauge Solid Stainless Steel, all welded construction. They are sanitary, easy to clean and constant use only assures lasting beauty without stain or discoloration. Both the galvanized and stainless steel scullery sinks are made in standard sizes or custom-built to specified dimensions... single, double or triple compartment types, with or without back splash and with permanent or detachable drainboards.

*Illustrated Below Are a Few of the Special Items We Build*



# Just Manufacturing Co.

4610-20 W. 21st STREET, CHICAGO 50, ILLINOIS

*Consult Us About Your Stainless Steel Requirements*





**DESIGNERS  
and  
FABRICATORS  
of**

***Radiiluxe***

**STAINLESS STEEL**

**SINKS, CABINET TOPS**

**and other  
SANITARY EQUIPMENT**

*for*  
HOMES, SCHOOLS  
HOSPITALS, HOTELS  
OFFICE BUILDINGS  
INSTITUTIONS

*Also for*  
INDUSTRIAL  
AND MARINE  
INSTALLATIONS

**STANDARD EQUIPMENT OR CUSTOM-BUILT SPECIALIZED UNITS**

**Just** *Manufacturing Co.*

4610-20 W. 21st STREET, CHICAGO 50, ILLINOIS



# STAINLESS STEEL *excels* IN DISTINCTIVE

## *Just Line Radiiluxe* STAINLESS STEEL

## SINKS AND CABINET TOPS

Radiiluxe design is the result of years of specialized experience in Stainless Steel design and fabrication, plus unexcelled facilities. For beauty, permanence, sanitary excellence and value, Radiiluxe Sinks and Cabinet Tops have no equal. They are made with single or double bowls, in straight, "U" or "L" types, in standard sizes or will be fabricated to specifications as required for special installations.

### TWO IMPORTANT EXCLUSIVE FEATURES

(1) **IN-BUILT, ANTI-SPLASH RIMS ON BOWLS**—Where drainboards and sink bowl meet, the top of the bowl is curved slightly inward and joined to the sink top in a seamless weld. This forms a smooth, effective anti-splash rim around the entire perimeter of the bowl without a break in the material. The welded joints are polished to a smooth, satin finish.

(2) **DOUBLE-PITCH DRAINBOARDS**—Gradually sloping lengthwise to the bowl as well as sidewise, assuring smooth, even, perfect drainage from all parts of the drainboard. There are no channels to clean, no grooves to endanger fine glassware.

### Other Advantages of Just Line Construction


- (3) Wood frames to facilitate fastening to cabinets.
- (4) Seamless construction, all joints welded and polished.
- (5) Bowls with radius corners—vertically and horizontally.
- (6) All corners of raised edge are die drawn.
- (7) U-type structural channel extending the full length of top or drainboard.
- (8) Sound-deadened on the underside to prevent undesirable metallic sound.

### STURDY CONSTRUCTION

Radiiluxe Sinks and Cabinet Tops are fabricated of No. 16 gauge and the bowls of 18 gauge SOLID Stainless Steel.

### CUSTOM FABRICATED DESIGNS

This shows a few of the special designs in Radiiluxe Sinks and Cabinet Tops, made to specifications.



CABINET SINKS  
CABINET TOPS  
SINK BOWLS  
SERVICE SINKS  
LAVATORIES  
FOOT BATHS  
TOILET SHELVES  
WASH TROUGHS  
SCULLERY SINKS  
URINALS  
URINAL TROUGHS  
STRADDLE STANDS  
and Special Units

*Literature, recommendations  
and quotations gladly fur-  
nished at your request.*



BEAUTY, SANITARY EFFICIENCY AND DURABILITY

## *Just Line Cabineteer* STAINLESS STEEL SINKS




### In Standard Sizes for "Package Kitchen" Units

The Cabineteer Line gives you Just Line quality and the same exclusive design features as the famous Radiiluxe Line. However, it is fabricated of 18 gauge Stainless Steel and built in standard sizes only, which effects production economies. Cabineteer Stainless Steel Sinks have IN-BUILT, ANTI-SPLASH RIM ON BOWLS, AND DOUBLE-PITCH DRAINBOARDS. All corners of raised edges are die drawn. Wood frames facilitate fastening to cabinets. All joints are seamless, welded and polished. Bowls have radius corners, vertically and horizontally. U-type structural channel extends full length of top or drainboard. Undesirable metallic noises are prevented by sound-deadening.

If you can use standard sizes, Just Line Cabineteer Stainless Steel Sinks give you beauty, durability, economy and exclusive design features that mean extra value. Made in 8 standard sizes—dimensional detail sheet promptly sent upon request.

## *Just Line* FLAT RIM OR LEDGE-BACK STAINLESS STEEL SINK BOWLS

### CRUMB CUP STRAINER



All Just Line sinks have crumb cup strainers.

Just Line Stainless Steel Sink Bowls are intended for installations with drainboards and countertops of linoleum, wood and other suitable materials. They are made in standard and special sizes, single and double compartment, with 1" flange all around... or in ledge-back types in three sizes only. The ledge back on which the deck type faucets are mounted assures a more permanent and sanitary installation. Moisture from supply pipes cannot deteriorate under structure of sink top.

All Just Line Stainless Steel Sink Bowls are made of 18 gauge Stainless Steel, welded, seamless construction and with rounded corners. There are no crevices or seams where dirt or food particles can collect. They combine sanitary excellence, beauty and durability for home kitchens, hospitals, institutions and laboratories.





*Just Line*

# GALVANIZED AND STAINLESS STEEL SCULLERY SINKS




Just Line Scullery Sinks are designed and constructed to meet the most exacting requirements for health and safety, to provide maximum quality and render long, efficient service. They are fully welded into a unit that will withstand constant hard use. The basic design is standard, but sinks are constructed in various styles and in any size desired to meet specific needs. They may be had as plain sink; with one, two or three compartments; with or without back splash; single or double drainboards. See diagram for special features.

## **Just Line Galvanized Scullery Sinks**

are made of No. 12 U. S. Standard Gauge Steel, fully welded and hot dip galvanized after fabrication, which gives them a lasting finish and protection against rust.

**Just Line  
Stainless Steel Scullery Sinks**  
are made of 14 gauge Solid Stainless Steel, all welded construction. They are sanitary, easy to clean, and constant use only assures lasting beauty without stain or discoloration. They have the same constructional details as our galvanized scullery sinks, and are made in 24 standard styles.



*Complete Illustrated Bulletin on Request*

# Just Manufacturing Co.

4610-20 W. 21st STREET, CHICAGO 50, ILLINOIS





**DESIGNERS**  
*and*  
**FABRICATORS**  
*of*  
*Stainless Steel*  
**SANITARY**  
**EQUIPMENT**

*for*

HOMES, SCHOOLS,  
HOSPITALS, HOTELS,  
OFFICE BUILDINGS,  
INSTITUTIONS

*Also for*  
INDUSTRIAL  
AND MARINE  
INSTALLATIONS

STANDARD EQUIPMENT OR CUSTOM-BUILT SPECIALIZED UNITS

**Just** *Manufacturing Co.*  
4610-20 21st STREET, CHICAGO 50, ILLINOIS




*Just Line*




CABINET SINKS  
CABINET TOPS  
SINK BOWLS  
SERVICE SINKS  
LAVATORIES  
FOOT BATHS  
TOILET SHELVES  
WASH TROUGHS  
SCULLERY SINKS  
URINALS  
URINAL TROUGHS  
STRADDLE STANDS  
and Special Units

*Literature, recommendations  
and quotations gladly fur-  
nished at your request.*



Illustrated are a few  
of the items we build.




Stainless Steel Lavatory with Splash Rim




Lavatory Waste Container






Folding Lavatory (Open and Closed)



Double Bowl Lavatory



Foot Bath



Galvanized or Stainless Steel Urinal Trough

# STAINLESS STEEL EXCELS

● As specialists in the design and fabrication of stainless steel, Just Manufacturing Company has the experience, the expert craftsmen and complete facilities to assure you thorough satisfaction . . . in standard equipment or special units.

Our Engineering Department will assist you in developing items to meet special conditions. Our production facilities are such that special units may be fabricated without excessive costs for special tools and dies.

## JUST LINE *Stainless Steel* SINK BOWLS

All Just Line Stainless Steel Sink Bowls are made of 18-gauge stainless steel with crumb-cup strainers. Ledge-back bowls allow for the plumbing to come up through the stainless steel ledge, making them easier to keep clean and sanitary. Made in all standard sizes, single or double bowl, or to your specifications.







# IN SANITARY EFFICIENCY AND DURABILITY

## RADIILUXE *Stainless Steel* CABINET SINKS AND CABINET TOPS

● Radiiluxe Stainless Steel Sinks have drainboards that are pitched not only toward the sink compartment, but sideways. This double pitch assures smooth, even, perfect drainage from all parts of the drainboard. There are no channels to clean, no grooves to endanger delicate glassware. Radiiluxe Sinks are designed and built to give maximum strength and long life. *All corners are smoothly rounded and seamless, welded and polished—easily cleaned.* Sinks have *anti-splash rims*. Constant use only assures lasting brilliance without stain or discolorations. Drainboards are reinforced with "U" channel braces. Underside of unit is painted and sound-deadened to reduce metallic noise and vibrations.

Just Line Cabinet Tops are supplied to be used in conjunction with the sinks to provide continuous working tops, or for use on separate counters or cabinets.

*Cabinet sinks and tops supplied in various types and sizes or fabricated to specifications.*






1. Anti-splash rim, fully welded.
2. Double-pitch drainboard.
3. Wood frame to facilitate fastening to cabinets.
4. Seamless construction—all joints welded and polished.
5. Radius corners at sides and bottom of sink.

Patents Pending on Radiiluxe anti-splash rim and double-pitch drainboard.

## SCULLERY SINKS

Built of No. 12 U. S. Standard Gauge Steel—fully welded, well braced, exceptionally sturdy. Hot-dip galvanized after fabrication, they resist rust for long service. Made in various standard sizes or custom-built to specified dimensions. Single, double or triple compartment types, with or without back splash, and with permanent or detachable drainboards.

*Just Line Scullery Sinks are also made in gleaming STAINLESS STEEL, welded and seamless.*







## *Stainless Steel* **HOSPITAL EQUIPMENT**

Top efficiency in hospital equipment calls for stainless steel . . . and top efficiency in stainless steel fabrication means the Just Line: It is unexcelled in sanitary excellence and durability. Stainless Steel with welded, seamless, rounded corners, retains its highly sanitary advantages longer than any other material.

*For new installations or replacement, our experienced engineers and unexcelled facilities can serve you to advantage. Write for literature, recommendations and quotations.*

**JUST** *Manufacturing Co.*  
4610-20 W. 21st Street, Chicago 50, Illinois




Sinks and  
Counter Tops




De Luxe Lavatory



Prophylactic Straddle Stand




Special  
Laboratory Units



Laboratory Boil-Out Tank





*Radiilux*  
STAINLESS STEEL  
CABINET SINKS

JUST MANUFACTURING CO., CHICAGO



# New Beauty and Efficiency in STAINLESS STEEL SINKS


Just Line experience and unexcelled facilities in the design and fabrication of Stainless Steel Sanitary Equipment now result in a notable improvement in cabinet sinks . . . the New "Radiiluxe" Sink. This latest development of Just Line craftsmen gives you *two new important, exclusive features.*

## IN-BUILT ANTI-SPLASH RIM ON BOWLS

At the point where the drainboards and sink top meet the top edge of the bowl, the bowl is curved slightly inward and joined to the sink top and drainboard in a seamless weld. This forms a smooth, effective anti-splash rim around the entire perimeter of the bowl, without a break in the material. The welded joints are polished to a smooth satin finish.

## DOUBLE-PITCH DRAINBOARDS

Radiiluxe Stainless Steel Sinks have drainboards that are pitched, not only endwise toward the bowl, but sidewise. This gradual double pitch assures smooth, even, perfect drainage from all parts of the drainboard. There are no channels to clean, no grooves to endanger fine glass-ware.



Double compartment Radiiluxe sink with anti-splash rim and two double-pitch drainboards.






Single compartment Radiiluxe sink with anti-splash rim and two double-pitch drainboards.



Single compartment Radiiluxe sink with anti-splash rim and one double-pitch drainboard.



Double compartment Radiiluxe sink with anti-splash rim.



Single compartment Radiiluxe L-shaped sink with anti-splash rim and double-pitch drainboards.

## ADDED ADVANTAGES OF RADIILUXE SINKS

For sustained beauty, permanence and sanitary excellence, Just Line Stainless Steel Sinks and counter tops have no equal. Just Line equipment comes in standard sizes or custom-fabricated to your own specifications by experienced specialists in Stainless Steel design and construction.

Just Line Radiiluxe Sinks may be custom-fabricated to fit individual requirements whether it be an "L" shaped or "U" shaped installation.

**Sturdy Construction**—Radiiluxe Sinks are designed and built to give maximum strength and long life. Special wood frame and heavy steel "U" channel braces.

**Rounded Corners and Joints**—All corners are smoothly rounded and seamless. There are no hidden crevices to harbor dirt or vermin.

**Easily Cleaned**—A soft cloth and the usual cleaning agent will keep Just Line Stainless Steel Equipment bright, clean and beautiful for years. Constant use only assures lasting brilliance without stain or discoloration.

**Sound Deadened**—To prevent undesirable metallic sounds—all Just Line units are thoroughly sound deadened.



# CONSTRUCTION DETAILS OF *Just Line* RADIILUXE SINKS


1 Anti-splash rim, fully welded.

2 Double-pitch drainboard.

3 Wood frame to facilitate fastening to cabinets.

4 Seamless construction — all joints welded and polished.

5 Radius corners at sides and bottom of sink.



PATENT PENDING

*Just Line*



*Send us your specifications and quantities  
you desire and we will gladly quote prices.*

**JUST MANUFACTURING CO.**

4610-20 West 21st Street

Chicago 50, Illinois





JULY 1, 1946

# *Radiiluxe* Stainless Steel **SINKS** AND CABINET TOPS



## ARCHITECTURAL SPECIFICATIONS

All Sinks and/or Cabinet Tops to be Just-Line Radiiluxe as manufactured by JUST MANUFACTURING COMPANY, Chicago, Illinois, or equal; to be according to the sizes and dimensions shown on plan and manufactured as follows:

Unit to be fabricated of No. 16 U. S. Standard gauge (.0625) 18-8 SOLID Stainless Steel. Drainboards to be reinforced with No. 14 U. S. Standard gauge (.0781) steel U-type structural channel extending the full length of the drainboards. Drainboards to be two-way pitched to the bowl to provide drainage without channeling or grooving. Drainboards, flanges and splashers to be integral, being formed of one sheet of metal. Raised edge surrounding unit to be seamless die formed at both front and rear of unit. Sink bowl to be Seamless ELECTRICALLY WELDED to Drainboard in a manner to provide Anti-Splash Rim around the entire perimeter of Bowl. All joints to be electrically welded, ground and polished to a satin finish. Entire unit to be adequately sound deadened on the undersurface. All tops to have wood frame to facilitate fastening to cabinets.

### TERMS:

1% 10 Days, Net 30 Days

PRICES ARE FOR MATERIAL  
F.O.B. OUR FACTORY, CRATED

Manufacturer reserves the right to  
Change Any or All Prices  
Without Notice.

# **JUST** *Manufacturing Co.*

4610-20 21st STREET, CHICAGO 50, ILLINOIS

PRICE LIST No. PL-10



# Just Line

## RADIILUXE Stainless Steel SINKS AND CABINET TOPS

Width of top is up to and including 25 1/4" at prices shown. Height of back is determined from top of raised edge. All cabinet tops are furnished flat, and all sink tops are supplied with raised edge unless otherwise specified.

LARGE BOLD FIGURES SHOW LIST PRICE

SMALL FIGURES BELOW EACH PRICE GIVE APPROXIMATE SHIPPING WEIGHT

NO BACK or ENDS




CABINET TOP

OR SINK

SEE BELOW FOR BOWL PRICE

WITH BACK ONLY



For PRICE of Sink Top — ADD Price of Bowl to Price of Cabinet Top — SEE BELOW.


WITH BACK and ONE END



end splash either end.

CABINET TOP Prices Shown. To arrive at Price of Sink Top ADD Price of Bowl. SEE BELOW.

WITH BACK and TWO ENDS



CABINET TOP Prices Shown. To arrive at Price of Sink Top ADD Price of Bowl. SEE BELOW.

LENGTH	HEIGHT OF BACK					HEIGHT OF BACK					HEIGHT OF BACK				
	4"	8"	12"	16"		4"	8"	12"	16"		4"	8"	12"	16"	
15 1/2"	\$26.25 28	\$31.35 31	\$33.30 33	\$34.90 35	\$37.30 38	\$40.30 33	\$44.20 35	\$48.35 38	\$53.35 41	\$49.30 35	\$55.10 38	\$61.80 41	\$69.40 44		
18 1/2"	29.70 32	35.10 36	37.50 39	39.55 42	42.40 45	44.05 39	48.40 42	53.00 45	58.45 48	53.05 42	59.30 45	66.45 48	74.50 51		
24 1/2"	36.60 42	42.60 46	45.90 50	48.85 54	52.60 58	51.55 50	56.80 54	62.30 58	68.65 62	60.55 54	67.70 58	75.75 62	84.70 66		
30 1/2"	43.50 56	50.10 60	54.30 64	58.15 68	62.80 72	59.05 64	65.20 68	71.60 72	78.85 76	68.05 68	76.10 72	85.05 76	94.90 80		
36 1/2"	50.40 70	57.60 74	62.70 78	67.45 82	73.00 86	66.55 78	73.60 82	80.90 86	89.05 90	75.55 82	84.50 86	94.35 90	105.10 94		
42 1/2"	57.30 84	65.10 88	71.10 92	76.75 96	83.20 100	74.05 92	82.00 96	90.20 100	99.25 104	83.05 96	92.90 100	103.65 104	115.30 108		
MINIMUM PRICE FOR ANY SINK TOP IS THE PRICE OF 48 1/2" CABINET TOP, PLUS PRICE OF BOWL — SEE BELOW															
48 1/2"	64.20 98	72.60 102	79.50 106	86.05 110	93.40 114	81.55 104	90.40 108	99.50 112	109.45 116	90.55 108	101.30 112	112.95 116	125.50 120		
54 1/2"	71.10 112	80.10 116	87.90 120	95.35 124	103.60 128	89.05 120	98.80 124	108.80 128	119.65 132	98.05 124	109.70 128	122.25 132	135.70 136		
60 1/2"	78.00 126	87.60 130	96.30 134	104.65 138	113.80 142	96.55 134	107.20 138	118.10 142	129.85 146	105.55 138	118.10 142	131.55 146	145.90 150		
66 1/2"	84.90 140	95.10 144	104.70 148	113.95 152	124.00 156	104.05 148	115.60 152	127.40 156	140.05 160	113.05 152	126.50 156	140.85 160	156.10 164		
72 1/2"	91.80 154	102.60 158	113.10 162	123.25 166	134.20 170	111.55 162	124.00 166	136.70 170	150.25 174	120.55 166	134.90 170	150.15 174	166.30 178		
78 1/2"	98.70 168	110.10 172	121.50 176	132.55 180	144.40 184	119.05 176	132.40 180	146.00 184	160.45 188	128.05 180	143.30 184	159.45 188	176.50 192		
84 1/2"	105.60 182	117.60 186	129.90 190	141.85 194	154.60 198	126.55 190	140.80 194	155.30 198	170.65 202	135.55 194	151.70 198	168.75 202	186.70 206		
90 1/2"	112.50 196	125.10 200	138.30 204	151.15 208	164.80 212	134.05 204	149.20 208	164.60 212	180.85 216	143.05 208	160.10 212	178.05 216	196.90 220		
96 1/2"	119.40 210	132.60 214	146.70 218	160.45 222	175.00 226	141.55 218	157.60 222	173.90 226	191.05 230	150.55 222	168.50 226	187.35 230	207.10 234		
102 1/2"	126.30 224	140.10 228	155.10 232	169.75 236	185.20 240	149.05 232	166.00 236	183.20 240	201.25 244	158.05 236	176.90 240	196.65 244	217.30 248		
108 1/2"	133.20 238	147.60 242	163.50 246	179.05 250	195.40 254	156.55 246	174.40 250	192.50 254	211.45 258	165.55 250	185.30 254	205.95 258	227.50 262		
114 1/2"	140.10 252	155.10 256	171.90 260	188.35 264	205.60 268	164.05 260	182.80 264	201.80 268	221.65 272	173.05 264	193.70 268	215.25 272	237.70 276		
120 1/2"	147.00 266	162.60 270	180.30 274	197.65 278	215.80 282	171.55 274	191.20 278	211.10 282	231.85 286	180.55 278	202.10 282	224.55 286	247.90 290		
126 1/2"	153.90 280	170.10 284	188.70 288	206.95 292	226.00 296	179.05 288	199.60 292	220.40 296	242.05 300	188.05 292	210.50 296	233.85 300	258.10 304		
132 1/2"	160.80 294	177.60 298	197.10 302	216.25 306	236.20 310	186.55 302	208.00 306	229.70 310	252.25 314	195.55 306	218.90 310	243.15 314	268.30 318		
138 1/2"	167.70 308	185.10 312	205.50 316	225.55 320	246.40 324	194.05 316	216.40 320	239.00 324	262.45 328	203.05 320	227.30 324	252.45 328	278.50 332		
144 1/2"	174.60 322	192.60 326	213.90 330	234.85 334	256.60 338	201.55 330	224.80 334	248.30 338	272.65 342	210.55 334	235.70 338	261.75 342	288.70 346		
150 1/2"	181.50 336	200.10 340	222.30 344	244.15 348	266.80 352	209.05 344	233.20 348	257.60 352	282.85 356	218.05 348	244.10 352	271.05 356	298.90 360		
156 1/2"	188.40 350	207.60 354	230.70 358	253.45 362	277.00 366	216.55 358	241.60 362	266.90 366	293.05 370	225.55 362	252.50 366	280.35 370	309.10 374		
162 1/2"	195.30 364	215.10 368	239.10 372	262.75 376	287.20 380	224.05 372	250.00 376	276.20 380	303.25 384	233.05 376	260.90 380	289.65 384	319.30 388		
168 1/2"	202.20 378	222.60 382	247.50 386	272.05 390	297.40 394	231.55 386	258.40 390	285.50 394	313.45 398	240.55 390	269.30 394	298.95 398	329.50 402		
For Each Inch Between Sizes, ADD	1.15 1	1.25 1	1.40 1	1.55 1	1.70 1	1.25 1	1.40 1	1.55 1	1.70 1	1.25 1	1.40 1	1.55 1	1.70 1		

Prices above are for cabinet tops. To figure sink tops, add to price of cabinet top the price of bowl or bowls desired.

All bowls are 7 1/2" deep, for deeper bowls add \$10.30 for each additional inch in depth of each bowl.

All bowls furnished with Just-Line Stainless Steel Crumb Cup Strainer. No allowance for strainers not required.

### SINGLE BOWLS

Sizes shown indicate inside dimensions	List Price
14" x 16" x 7 1/2"	\$64.70
16" x 16" x 7 1/2"	67.30
16" x 20" x 7 1/2"	72.50
18" x 20" x 7 1/2"	75.05
18" x 25" x 7 1/2"	81.55

### DOUBLE BOWLS
















Ship. Inside Dimensions include 2" partition	List Price	Ship. Wt.
16" x 30" x 7 1/2"	\$139.30	150 lbs.
16" x 34" x 7 1/2"	144.50	160 lbs.
18" x 38" x 7 1/2"	154.85	165 lbs.
18" x 42" x 7 1/2"	160.05	180 lbs.
18" x 52" x 7 1/2"	173.00	210 lbs.



# SPECIAL FEATURES

List Price


CABINET OR SINK TOP LONGER THAN 168½"—figure additional length by adding lineal inch price plus the price of weld in accordance with the height of back as follows:	
No Back .....	\$44.20
With 4" Back or less.....	52.15
With Back more than 4" and up to 16" high inclusive.....	61.30
"L" or "U" SHAPED TOPS—for each seamless welded joint, add in accordance with the height of back as follows:	
No Back .....	44.20
With 4" Back or less.....	52.15
With Back more than 4" and up to 16" high inclusive.....	61.30
For Welds when back is higher than 16" add to the price of the weld for each additional inch in height.....	
	21.20
SPECIAL "L" or "U" SHAPED TOPS—whenever the leg or legs are attached at an angle other than a right angle, add for special construction of each leg attached at an odd angle.....	
	56.60
FIELD JOINTS (Illustration A)—To be used instead of welds on "L" or "U" shaped and unusually long tops to facilitate handling and shipping, add in accordance with height of back:	
No Back .....	30.35
With 4" Back or less.....	43.35
With higher Back.....	52.45
COVER STRIP (Illustration B)—For covering joint between two units, fitted and soldered to one section of the top.....	
	20.85
PARTIAL WINDOW NOTCH (Illustration C)—In back or end splash.....	
	13.55
FULL WINDOW NOTCH (Illustration D)—In back or end splash.....	
	17.70
PARTIAL COLUMN CUTOUT—To fit around column or pipe chase, in accordance with height of back as follows:	
No Back (Illustration E).....	17.10
With 4" Back or less (Illustration F).....	20.95
With higher Back (Illustration F).....	35.10
FULL COLUMN CUTOUT—To fit around column or pipe, chase, in accordance with height of back as follows:	
No Back (Illustration G).....	31.85
With 4" Back or less (Illustration H).....	38.30
With higher Back (Illustration H).....	57.75
END LOWER THAN BACK—(Illustration I) .....	
	7.65
END SHORTER THAN WIDTH OF TOP (Illustration J).....	
	10.00
RADIUS CORNER (Illustration M)—portion of top with radius corner shall be flat no raised edge; add in accordance with the sizes of radius as follows:	
For 90° radius up to 3".....	11.80
For 90° radius over 3" but not more than 6".....	29.50
For 90° radius over 6" but not more than 12".....	47.15
For 90° radius over 12" but not more than 18".....	64.85
For 90° radius over 18" but not more than 24".....	82.55
FULL RADIUS END (Illustration N)—If raised edge is required, portion of top with radius shall be flat.	
For 180° radius not more than 13".....	123.80
ANGLE CORNER (Illustration O)—Without Back.....	
	27.60
ANGLE CORNER (Illustration P)—Where Back or End is involved.....	
	41.40
SPECIAL WOOD FRAMING (Illustration Q)—For extra wide wood framing up to 4" in width, add to price of top:	
Base charge .....	4.70
Extra over base charge, for each lineal foot or fraction thereof.....	2.05
STEEL CHANNEL FRAMING (Illustration R)—For steel framing instead of wood framing, standard 4" wide only, add to price of top:	
Base charge .....	11.80
Extra over base charge, for each lineal foot or fraction thereof.....	4.70
STAINLESS STEEL CHANNEL FRAMING (Illustration R)—same as above except all channels are solid stainless steel.	
Base charge .....	23.60
Extra over base charge, for each lineal foot or fraction thereof .....	9.40
SPECIAL DRAIN OPENING—For punching sink bowls to receive special drain when opening differs from our standard.....	
	5.90
EXTRA ROUND HOLES—Other than faucet holes, up to 4½" in diameter.....	
	5.90
JUST-LINE STAINLESS STEEL STRAINER (Illustration K).....	
	6.00
APRONS (Illustration L)—for aprons 7" to 9" deep up to 48" in length including returns if desired, tack welded to sink unit.....	
	69.40
For each additional lineal inch in length.....	
	.40
Tailoring top to receive new model (AE-646) G. E. dishwasher.....	
	82.55
Tailoring top for range, one four burner opening with flanges.....	
	47.15
Tailoring top to receive Westinghouse type dishwasher fittings.....	
	7.50
Cutting hole in back splash to receive electric outlet box.....	
	5.90
Cutting holes to receive gas or electric burners, for each round hole.....	
	10.00
Tailoring top to receive special gas or electric range burners, for each burner opening.....	
	26.55
VENTS IN BACK SPLASH (Illustration S)—For ventilation of refrigerator or radiator under top:	
With not more than 12 slots.....	21.20
For each additional slot over 12.....	1.20
INSIDE ANGLE CORNER (Illustration T)—For "L" or "U" shaped tops.....	
	28.50
BRACKETS and STAINLESS STEEL LEGS (Illustration U)—For use in the support of tops that are installed without cabinets:	
Stainless Steel Wall Brackets with concealed wall clips, each.....	27.10
Stainless Steel 1½" split tubular Leg with concealed wall clips, adjustable in height, for each leg.....	24.75
SPECIAL GAUGE TOPS—Where gauges other than standard 16 gauge are used, add to the price of top in accordance with gauge required:	
No. 14 gauge Stainless Steel—add 25% of the price of the top.	
No. 12 gauge Stainless Steel—add 85% of the price of the top.	
SPECIAL GAUGE BOWLS—Where gauges other than standard 18 gauge are used, add to the price of bowl in accordance with gauge required:	
No. 16 gauge Stainless Steel—add 20% of the price of the bowl.	
No. 14 gauge Stainless Steel—add 40% of the price of the bowl.	







# CONSTRUCTION DETAILS

1. Anti-splash Rim around entire perimeter of the bowl at point where bowl joins the drainboards, seamless welded and polished.
2. Double Pitched Drainboards, gradually sloping lengthwise to the bowl and sidewise to center of drainboard.
3. Wood Frame around front and ends, facilitates fastening to the cabinets.
4. Seamless Construction, all joints welded and polished.
5. Radius corners in bowl—vertical radius  $1\frac{1}{2}$ " at top tapering to  $15/16$ " at bottom, all bottom horizontal radii are  $15/16$ ".
6. All corners of raised edge are die drawn.
7. U-type structural channel extending the full length of the drainboard.
8. Sound Deadened on the underside to prevent undesirable metallic sound.



## EXAMPLES OF ESTIMATING

Figure the long section first and add the leg or legs, size of leg is determined from front edge of long section. Do not fail to include either a weld or field joint in figuring "L" or "U" shaped tops. Figure all tops as cabinet tops and add price of the bowl required to arrive at sink top price.



### EXAMPLE—"U" Shaped Top

1—120" top with 8" back and two ends.....	\$202.10
1—18" top with 8" back.....	37.50
1—36" top with 8" back.....	62.70
1—Weld 8" back.....	61.30
1—Field Joint 8" back.....	52.45
1—18" x 25" x 7 1/2" deep bowl .....	81.55

TOTAL LIST PRICE.....\$497.60

### EXAMPLE—"L" Shaped Top

1—108" top with 4" back and one end.....	\$156.55
4" additional length at \$1.25.....	5.00
1—30" Top with 4" back.....	50.10
1—Field Joint .....	43.35
1—16" x 20" x 7 1/2" deep bowl.....	72.50

TOTAL LIST PRICE.....\$327.50





# CABINETEER STAINLESS STEEL SINKS

The Cabineteer Line gives you Just Line quality in Stainless Steel Sinks of standard dimension required for today's "Package Kitchen Units."

Cabineteer Sinks incorporate the same distinctive features of design and construction as the famous Just Line Radiiluxe Sinks, but are made only in standard dimensions which effects production economies. They are constructed of No. 18 U. S. Standard Gauge 18-8 Stainless Steel.

## A RICH COMBINATION OF BEAUTY, DURABILITY AND ECONOMY . . .

Just Line Cabineteer Sinks provide many features that appeal to thrifty, discriminating tastes:

**ENDURING BEAUTY**—Stainless Steel adds an air of distinction to the kitchen. Its gleaming beauty and many advantages last years longer than any other material. It will not chip or tarnish... is not affected by food acids or extremes of heat and cold.

**EASILY CLEANED**—A soft cloth and the usual cleansing agent keep Stainless Steel bright and beautiful with the least effort... saving time and labor.

**SANITARY**—There are no seams or crevices in Cabineteer Sinks where dirt or food deposits may collect. All joints are welded and polished to perfect smoothness.

**EXCLUSIVE DESIGN FEATURES** developed by Just Line specialists in Stainless Steel fabrication give Cabineteer Sinks extra distinction and desirability. **IN-BUILT ANTI-SPLASH RIMS** on BOWLS. Where drainboards and sink bowls join, the top of the bowl is curved slightly inward and is joined to the sink top in a seamless weld polished to satin smoothness. This forms a smooth, effective anti-splash rim around the entire perimeter of the bowl without a break in the material.

**DOUBLE-PITCH DRAINBOARDS** assure smooth, even, perfect drainage from all parts of the drainboard. They are gradually sloped lengthwise toward the bowl as well as sidewise. **NO DRAIN GROOVES**—Because of the sturdy construction of Cabineteer Sinks and the effective drainage, no drain grooves are required. Thus fine glassware is not endangered and the drainboard is easily cleaned.


**STURDY CONSTRUCTION**—Cabineteer Sinks are fabricated of 18-gauge **SOLID** Stainless Steel, with die-drawn raised edge, and are furnished with wood frame to facilitate fastening to cabinets. Further rigidity is obtained by the "U" shaped structural channel extending the full length of each drainboard.

**SOUND-DEADENED**—Just Line Cabineteer Stainless Steel Sinks are sound-deadened on the underside to prevent undesirable metallic sounds.

**MADE IN STANDARD TYPES AND POPULAR SIZES**—Cabineteer Sinks are 25" wide and of the types illustrated and lengths shown—single bowl sinks have a 16" x 20" x 7½" deep bowl, and two 16" x 16" x 7½" deep bowls in the double bowl units. All sinks furnished with Stainless Steel crumb-cup strainers. Sinks are punched with four 1¼" holes, with the spray hole on the right. A cock hole cover is supplied with each sink to be used in the event that the spray attachment is not required.



C-42-R—Single bowl sink  
42" long with right hand drainboard.  
C-42-L—Single bowl sink  
42" long with left hand drainboard.



C-48-2—Sink 48" long  
with double bowl



Single bowl—  
double drainboard sinks  
C-54-1—54" long  
C-60-1—60" long  
C-72-1—72" long




Double bowl—  
double drainboard sinks  
C-66-2—66" long  
C-72-2—72" long

**Just** Manufacturing Co.  
4610-20 W. 21st Street Chicago 50, Illinois










PRICE LIST No. PL-301  
July 10, 1946

# *Just Line* "CABINETEER" *Stainless Steel* SINKS •

The new JUST-LINE Cabineteer Stainless Steel Sinks are constructed of No. 18 U. S. Standard gauge (.050) 18-8 SOLID Stainless Steel fully welded and polished to a satin finish. The salient features of JUST-LINE Radiiluxe Sinks are incorporated, including Anti-splash Rim and Double-pitch Drainboards. Sinks furnished with Stainless Steel Crumb Cup Strainers. Are available only in the standard sizes listed and of dimensions indicated in the Dimensional Details on the back of this page.



All prices are for the  
Material F.O.B. our  
factory, crated.

TERMS:  
1% 10 days, Net 30

Manufacturer reserves  
the right to change  
all prices without  
notice.



DESCRIPTION	LIST PRICE	Ship. Wt.
No. C-42-R CABINETEER SINK 42" long x 25" wide - 4" back, 16"x 20"x 7½" deep bowl - Right hand drain- board.	\$137.70	130#
No. C-42-L CABINETEER SINK Same as above - lefthand drainboard.	137.70	130#
No. C-48-2 CABINETEER SINK 48" long x 25" wide - 4" back, 16"x 34"x 7½" deep double bowl.	202.05	140#
No. C-54-1 CABINETEER SINK 54" long x 25" wide - 4" back, 16"x 20"x 7½" deep bowl, double drainboard.	144.90	140#
No. C-60-1 CABINETEER SINK Same as above - 60" long	152.05	150#
No. C-72-1 CABINETEER SINK Same as above - 72" long	166.55	170#
No. C-66-2 CABINETEER SINK 66" long x 25" wide - 4" back, 16"x 34"x 7½" deep double bowl and double drainboard.	223.75	160#
No. C-72-2 CABINETEER SINK Same as above - 72" long	230.90	170#

# JUST

*Manufacturing Co.*



4610-20 21st STREET,  
CHICAGO 50, ILLINOIS





C-54-1  
C-60-1  
C-72-1

C-66-2  
C-72-2



*Dimensional Details*



# Just Line



## STAINLESS STEEL SINK BOWLS

*Combining Sanitary Excellence, Beauty and Durability*  
For home kitchens, hospitals, institutions and in laboratories


### THE ADVANTAGES OF STAINLESS STEEL

- **SANITARY**—Just Line Sinks are all-welded, seamless construction with rounded corners. There are no crevices or seams where dirt or food particles can collect.
- **EASILY CLEANED**—With a soft cloth and the usual cleansing agent, Stainless Steel can be kept bright, clean and beautiful with the least effort. Constant use only adds to its brilliance.
- **STURDY CONSTRUCTION**—As specialists in Stainless Steel fabrication, Just Line has the experience and the equipment to design and build bowls that have maximum strength and give long service.
- **SOUND-DEADENED**—Just Line Stainless Steel Sinks are sound-deadened on the underside to prevent undesirable metallic sounds.
- **SPECIFICATIONS**—Constructed of No. 18 U. S. Standard Gauge (.050) 18-8 SOLID Stainless Steel. Inside vertical corner radius  $1\frac{1}{2}$ " at top, tapering to  $\frac{15}{16}$ " at bottom; all horizontal radii are  $\frac{15}{16}$ ". Bowls are furnished with a square corner 1" flange all around, or with ledge back. Polished on the inside to a satin finish and sound-deadened on the outside. Each bowl furnished with a  $3\frac{1}{2}$ " Stainless Steel Crumb Cup Strainer.

Just Line Stainless Steel Sink Bowls are intended for installations with drainboards and countertops of linoleum, wood and other suitable materials. Whatever complementing materials may be used, the Just Line Sink Bowls add distinctive beauty and lasting service. Made in standard sizes, single and double bowl, with 1" flange all around...also in Ledge Back types in three sizes only. The ledge back on which the deck-type faucets are mounted assures a more permanent and sanitary installation. Moisture from supply pipes cannot deteriorate under structure of sink top.



Available in many standard sizes or custom fabricated to meet special requirements.




Single Bowl and Double Bowl with Standard 1 inch flange all around.



*Crumb Cup Strainer*



Furnished in three sizes only:  
#2124 Single Bowl  
#2132 Double Bowl  
#2142 Double Bowl



Single and Double Bowl with Ledge Back.  $3\frac{1}{2}$  inch ledge may be drilled to accommodate deck type faucet with or without spray attachment.

# Just Manufacturing Co.

4610-20 W. 21st Street, Chicago 50, Illinois









*Galvanized and  
Stainless Steel*  
**SCULLERY SINKS**


**JUST MANUFACTURING CO., CHICAGO**



# Just Line GALVANIZED SCULLERY SINKS

## HOT DIP GALVANIZED AFTER FABRICATION

● These sinks have been developed and are constructed to meet the most exacting requirements for health and safety, to provide the maximum of quality, and render long, durable service. The sink is fully welded into a unit that will withstand constant hard use. Hot dip galvanizing after fabrication means protection against rusting and a finish for long service. The sink is rigidly supported on angle legs which are also hot dip galvanized. Standard in design—constructed in any size to meet individual needs.



## SPECIFICATIONS

Just Line Galvanized Scullery Sinks are constructed of No. 12 U. S. Standard Gauge Steel, fully welded and hot dip galvanized after fabrication.

Sinks may be had with integral back splash, Roll Rim at front and ends, back so constructed as to provide space for supply lines. Drainboards shall be integral with



back and shall be pitched to sink compartments. Partitions shall be bordered at top with  $\frac{5}{8}$ " tubing.

Sink shall be supported on rigid angle legs of same material and finish. Provisions to be made for fastening legs securely to sink. Each leg shall be provided with hold-down clip for bolting unit to the floor.



### STANDARD DESIGNS

### STANDARD TYPES OF




*Just*



### SINGLE COMPARTMENT SINKS



### DOUBLE COMPARTMENT SINKS



### TRIPLE COMPARTMENT SINKS



# *Just Line* STAINLESS STEEL SCULLERY SINKS

14 GAUGE SOLID STAINLESS STEEL



• The extra durability of Just Line Stainless Steel Scullery Sinks makes them a GOOD investment. The all-welded construction provides a unit sanitary and easy to clean. Constant use only assures lasting beauty without stain or discoloration.

Just Line craftsmen are experienced experts in the design and fabrication of stainless steel equipment. Our facilities are complete to assure you good workmanship down to the last detail.


Just Line Stainless Steel Scullery Sinks may be had in any of the 24 standard styles shown on these pages, or custom fabricated to required dimensions.

## SPECIFICATIONS

Just Line Stainless Steel Scullery Sinks have the same constructional details as our hot dip galvanized units except that 14 gauge SOLID Stainless Steel is used throughout.

*Line* SCULLERY SINKS


## SPECIAL DESIGNS




J-110



J-111-L




J-111-R




J-112


### SINGLE COMPARTMENT SINKS WITH BACK SPLASH




J-210



J-211-L




J-211-R




J-212


### DOUBLE COMPARTMENT SINKS WITH BACK SPLASH




J-310



J-311-L



J-311-R




J-312

### TRIPLE COMPARTMENT SINKS WITH BACK SPLASH



# DETACHABLE DRAINBOARDS

• Just Line Detachable Drainboards hook over the rim of compartments at either end, and supported by two  $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times \frac{1}{8}''$  angle brackets bolted to the leg gussets. These drainboards are constructed to provide the same long service as Just Line Scullery Sinks. They are made of 14-gauge material with top edges folded and pressed for rigidity and safety. Either Hot Dip galvanized or SOLID Stainless Steel.



## HOW TO ORDER JUST LINE SCULLERY SINKS

In placing your order for Just Line Scullery Sinks, the following information should be given:

**TYPE OF SINK**—See types illustrated on inside of this folder.

**INSIDE DIMENSIONS OF EACH SINK COMPARTMENT.**

**DEPTH OF SINK COMPARTMENT**, inside dimension from top of roll rim.

**HEIGHT OF BACK SPLASH** from top of roll rim.

**LENGTH OF EACH DRAINBOARD**, including  $1\frac{1}{2}''$  roll rim.

**TOTAL OVERALL LENGTH OF SINK**—Add to the total length of compartments:—

- (a) **SINK ONLY**— $1\frac{1}{2}''$  roll rim each side.
- (b) **SINGLE DRAINBOARD SINK**—the drainboard and  $1\frac{1}{2}''$  roll rim one side.
- (c) **DOUBLE DRAINBOARD SINK**—the two drainboards.

**TOTAL OVERALL WIDTH OF SINK**, including  $1\frac{1}{2}''$  roll rim and  $1\frac{1}{2}''$  thick back.

**REQUIRED HEIGHT OF SINK** from floor to top of roll rim.

**SIZE OF DRAIN**, if *other than standard*, should be specified.

**FAUCET HOLES**—to be centered over sink compartment, unless specified for swing spout faucet over partition.

By giving in full the information here indicated there can be no question of the type and size of sink required. The following example will illustrate the correct way of using this simplified system of ordering Just Line Scullery Sinks:

**EXAMPLE:** Type J-212 Galvanized Scullery Sink. Each compartment  $30'' \times 24'' \times 12''$  deep;  $12''$  high back splash; two (2) drainboards  $24''$  long. Total overall length of sink  $108''$ . Total overall width of sink front to back  $27''$ . Height from floor to top roll rim  $36''$ .  $1\frac{1}{2}''$  drain plugs with stopper, chain, and tailpiece.

**Just** Manufacturing Co.


4610-20 21st STREET, CHICAGO 50, ILLINOIS




**JUST LINE *Stainless Steel* SINK BOWLS**

**SPECIFICATIONS** - Constructed of No. 18 U. S. Standard gauge (.050) 18-8 SOLID Stainless Steel. Inside vertical corner radius  $1\frac{1}{2}$ " at the top, tapering to  $15/16$ " at bottom, all bottom horizontal radii are  $15/16$ ". Bowls are furnished with a square corner 1" flange all around. Polished on the inside to a satin finish and sound deadened on the outside to prevent undesirable metallic sound. Each bowl furnished with a  $3\frac{1}{2}$ " Stainless Steel Crumb Cup Strainer.

Single Bowl





Double Bowl



Double bowl sizes include the 2" wide center partition.

**SINGLE and DOUBLE LEDGEBACK BOWLS** with  $3\frac{1}{2}$ " ledge at back punched for deck type faucets



LEDGEBACK BOWLS ARE FURNISHED ONLY IN THE THREE SIZES SHOWN

Sizes shown are inside dimensions not including 1" flange

List Price

Ship. Wt.

**SINGLE COMPARTMENT BOWLS**

14" x 16" x $7\frac{1}{2}$ " deep	- - - -	\$53.35	22#
16" x 16" x $7\frac{1}{2}$ " deep	- - - -	55.95	24#
16" x 18" x $7\frac{1}{2}$ " deep	- - - -	58.55	26#
16" x 20" x $7\frac{1}{2}$ " deep	- - - -	61.15	28#
18" x 18" x $7\frac{1}{2}$ " deep	- - - -	61.15	28#
18" x 20" x $7\frac{1}{2}$ " deep	- - - -	63.70	30#
18" x 25" x $7\frac{1}{2}$ " deep	- - - -	70.20	36#
18" x 30" x $7\frac{1}{2}$ " deep	- - - -	76.70	40#

**DOUBLE COMPARTMENT BOWLS**

16" x 30" x $7\frac{1}{2}$ " deep	- - - -	\$115.55	45#
16" x 34" x $7\frac{1}{2}$ " deep	- - - -	120.75	50#
18" x 34" x $7\frac{1}{2}$ " deep	- - - -	125.90	53#
18" x 38" x $7\frac{1}{2}$ " deep	- - - -	131.10	56#
18" x 42" x $7\frac{1}{2}$ " deep	- - - -	136.30	60#
18" x 52" x $7\frac{1}{2}$ " deep	- - - -	149.25	72#

No. 2124 Single Compartment  
21" x 24" outside dimensions,  
bowl inside 22" x  $16\frac{1}{2}$ " x  $7\frac{1}{2}$ " deep. - - - -

\$72.80 35#

No. 2132 Double Compartment  
21" x 32" outside flange,  
each bowl inside 14" x  $16\frac{1}{2}$ " x  $7\frac{1}{2}$ " deep. - - - -

131.10 42#

No. 2142 Double Compartment  
21" x 42" outside flange,  
each bowl inside 19" x  $16\frac{1}{2}$ " x  $7\frac{1}{2}$ " deep. - - - -

144.45 60#

For bowls deeper than  $7\frac{1}{2}$ " - ADD \$10.30 each additional inch in depth of each bowl.

For pricing bowls not listed, use the price of the next larger size bowl.

TERMS: 1% 10 Days, Net 30 Days

PRICES ARE FOR MATERIAL  
F.O.B. OUR FACTORY, CRATED

Manufacturer reserves the right to  
Change Any or All Prices Without  
Notice.



**JUST** *Manufacturing Co.*

4610-20 21st STREET, CHICAGO 50, ILLINOIS








PRICE LIST No. PL-102

June 15, 1946



*Just Line*

## SCULLERY SINKS

*Hot-dip galvanized after fabrication*

### SPECIFICATIONS

JUST-LINE Galvanized Scullery Sinks are constructed of No. 12 U. S. Standard Gauge Steel, fully welded and Hot Dip galvanized after fabrication.

Sink may be had with integral back splash, so constructed as to provide space for supply lines. Roll rim at front and ends. Drainboards, integral or detachable, to be pitched to sink compartment. Partitions between compartments shall be bordered at top with 5/8" tubing for reinforcement and protection against injury.

Sinks shall be supported on detachable angle legs of same material and finish. Each leg shall be provided with hold-down clips for bolting unit to the floor.

Standard in Design, but constructed in any size to meet individual requirements. See chart of Standard Types of Scullery Sinks on page four of this price list.

#### TERMS:

1% ten days, Net 30.

Prices are for the material F.O.B. our factory, uncrated.

Manufacturer reserves the right to change any and all prices without notice.

**Just** *Manufacturing Co.*


4610-20 21st STREET, CHICAGO 50, ILLINOIS



*Just Line* Galvanized Scullery Sinks are made in the 24 standard types illustrated on page four. Sizes may vary from dimensions given below to meet special requirements, for in between sizes use price of the next larger size. Double and Triple compartment sinks may be priced by adding the proper number of partitions to the price of the single compartment unit. All sinks are furnished with four detachable angle legs, galvanized soap dish and stamped brass, chrome plated,  $1\frac{1}{2}$ " drain plugs with stopper, chain and tailpiece. When ordering please follow the suggestions at the bottom of page three regarding "How to Order JUST-LINE Galvanized Scullery Sinks".

SIZES shown are inside dimensions of Single Compartment Sink, and do not include the roll rim or back splash.			WITHOUT BACK		WITH BACK	
			List Price	Ship. Wt.	List Price	Ship. Wt.
24" long	- 24" wide	- 12" deep	\$40.30	82#	\$46.00	92#
30" "	- 24" "	- 12" "	42.05	94#	47.95	107#
36" "	- 24" "	- 12" "	44.70	107#	50.80	122#
42" "	- 24" "	- 12" "	47.45	119#	53.65	137#
48" "	- 24" "	- 12" "	50.20	132#	56.50	152#
54" "	- 24" "	- 12" "	52.90	144#	59.30	167#
60" "	- 24" "	- 12" "	55.65	157#	62.20	182#
66" "	- 24" "	- 12" "	58.35	169#	65.00	197#
72" "	- 24" "	- 12" "	61.05	182#	67.85	212#
78" "	- 24" "	- 12" "	63.75	195#	70.65	242#
84" "	- 24" "	- 12" "	66.50	207#	73.50	255#
90" "	- 24" "	- 12" "	69.25	222#	76.30	267#
FOR DOUBLE and TRIPLE COMPARTMENT SINKS						
ADD to price above for EACH PARTITION			\$ 8.65	12#	\$ 8.65	12#
<u>INTEGRAL DRAINBOARDS</u>		<u>Length</u>				
For sinks with drainboards ADD to the price of sink, price of the drainboard or drainboards required. Length of drainboard includes the $1\frac{1}{2}$ " roll rim. * Drainboards longer than 36" are furnished with one adjustable pipe leg.		24"	\$10.45	40#	\$15.50	45#
		30"	12.90	45#	18.25	55#
		36"	15.35	50#	20.65	65#
		* 42"	27.15	70#	30.70	90#
		* 48"	29.65	80#	35.15	100#
		* 54"	32.15	90#	37.80	110#
		* 60"	34.60	100#	40.35	120#
<u>EXTRA WIDTH DRAINBOARDS</u>	For each drainboard wider than 24", ADD for each additional inch in width	To 36" in length			.55	1#
		From 36" to 60"			.75	2#
<u>EXTRA WIDTH SINKS</u>	For sinks wider than 24" standard, ADD for each additional inch in width	Single Compt.			1.75	1#
		Double Compt.			2.25	2#
		Triple Compt.			2.75	3#
<u>EXTRA DEPTH SINKS</u>	For sinks deeper than 12" standard, ADD for each additional inch in depth	Single Compt.			2.75	2#
		Double Compt.			3.50	3#
		Triple Compt.			5.25	4#
<u>END SPLASH</u>	For End Splashes the same height of back ADD to price of sink for each End Splash				7.00	12#



DETACHABLE DRAINBOARDS		Length	List Price	Ship. Wt.
	Constructed of No. 12 gauge steel with 3" high sides and end. Fold and press on top edges for rigidity and safety. Clips over roll rim and is supported by two 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " angle brackets. Entire unit Hot Dip Galvanized after fabrication.  * Pipe leg included.	24"	\$10.45	40#
		30"	12.90	45#
		36"	15.35	50#
		* 42"	27.15	70#
		* 48"	29.65	80#
		* 54"	32.15	90#
		* 60"	34.60	100#
EXTRA WIDTH DRAINBOARDS	For each drainboard wider than 24", ADD for each additional inch in width	To 36" in length	.55	1#
		From 36" to 60"	.75	2#
PIPE LEGS	Galvanized and adjustable, may be had instead of the standard angle legs. ADD to the price of the sink for set of four legs - - - - -		\$ 7.60	12#
PERFORATED CORNER GUARD	For use with standing waste and overflow in the corner of sink compartment, ADD - - - - -		6.70	4#
BAFFLE PLATE	Attached under sink compartment where gas burner is to be used. ADD to the price of the sink for each Baffle Plate required - -		21.60	15#
PUNCHING HOLES	All holes other than faucet holes or standard drain holes, ADD for each hole		5.00	
1 $\frac{1}{2}$ " CAST BRASS DRAIN PLUG - stopper, chain and tailpiece		* 2.20		3#
2" CAST BRASS DRAIN PLUG - stopper, chain and tailpiece		* 2.95		3#
1 $\frac{1}{2}$ " STANDING WASTE and OVERFLOW		* 7.20		5#
1 $\frac{1}{2}$ " CONNECTED WASTE and OVERFLOW		* 14.00		7#
1 $\frac{1}{2}$ " LEVER ACTION WASTE		* 17.35		10#
* Allowance made for standard drain plug not required with these fittings.				

HOW TO ORDER JUST-LINE GALVANIZED SCULLERY SINKS - - In placing your order for Just-Line Scullery Sinks, the following information should be given:

TYPE OF SINK - See types illustrated on back page of this price list.

INSIDE DIMENSIONS OF EACH SINK COMPARTMENT.

DEPTH OF SINK COMPARTMENT, inside dimension from top of roll rim.

HEIGHT OF BACK SPLASH from top of roll rim.

LENGTH OF EACH DRAINBOARD, including 1 $\frac{1}{2}$ " roll rim.

TOTAL OVERALL LENGTH OF SINK - Add to the total length of compartments--

(a) SINK ONLY - 1 $\frac{1}{2}$ " roll rim each side.

(b) SINGLE DRAINBOARD SINK - the drainboard and 1 $\frac{1}{2}$ " roll rim one side.

(c) DOUBLE DRAINBOARD SINK - the two drainboards.

TOTAL OVERALL WIDTH OF SINK, including 1 $\frac{1}{2}$ " roll rim and 1 $\frac{1}{2}$ " thick back.

REQUIRED HEIGHT OF SINK from floor to top of roll rim.









SIZE OF DRAIN, if other than standard, should be specified.

FAUCET HOLES - to be centered over sink compartment, unless specified for swing spout faucet over partition.










# STANDARD TYPES *Just Line* SCULLERY SINKS









## SINGLE COMPARTMENT SINKS



## DOUBLE COMPARTMENT SINKS



## TRIPLE COMPARTMENT SINKS





Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA